Diabetes Health Care Plan for Continuous Glucose Monitoring

School:_______Photo

Start Date:______ End Date:______
Name:____ Grade/ Homeroom: ____ Teacher:_____

Student

- 1. Sensor Glucose (SG) is the value displayed on the sensor and Blood Glucose (BG) is the value obtained from a fingerstick.
- 2. School personnel and/or student should always check that the sensor is fully attached to the body.
- 3. School personnel are not expected to follow on Dexcom Share or Medtronic Connect.
- 4. Do not disconnect CGM for sports or activities.
- 5. If adhesive is peeling off, reinforce with medical tape.
- 6. If CGM falls off, do not throw pieces away, place in a bag, and contact and return to parents.
- 7. Insulin injections should be at least 3 inches away from CGM device.
- 8. Do not give Tylenol while using the Dexcom G5 CGM. Tylenol is OK with Dexcom G6, Libre or Medtronic.
- 9. Do not use SG to determine if student has been adequately treated for a low. This should be determined with BG.

Student Information

TYPE OF CGM: □ Dexcom G5/G6 □ Free:	style Libre	
☐ Medtronic Guardian with Threshold Suspe	end □ On □ Off	
□ Medtronic 670G (see attached)		
☐ Tandem Basal IQ with Dexcom G6 – if ba	sal suspended at mealtime, ok to	resume insulin prior to bolus
CGM Instructions (In addition to school orde	ers):	
☐ If SG is < 80mg/dL, follow orders for hypo	glycemia.	
□ SG may be used for insulin dosing and to indicate need to treat low if preferred by parent		
Authorization for the Release of Information:		
I hereby give permission for(Diabetes healthcar of providing for the healthcare needs of my child at	e provider) on my child	e, confidential medical information with to develop more effective ways
Prescriber Signature	Date	PSI Proper
Parent Signature	Date	University Hospitals Rainbow Babies & Children's

Rev. 10/2019, Reviewed by Drs. Carly Wilbur & Jamie Wood